

# Compazine discontinued

compazine (prochlorperazine maleate) tablet, coated Compazine (prochlorperazine) should be discontinued at least 48 hours before myelography, Prochlorperazine (Compazine, Stemizine, Buccastem, Stemetil, Phenotil) is a dopamine (D2) receptor antagonist that belongs to the phenothiazine class of antipsychotic Compazine (Discontinued) THERAPEUTIC CLASS. Phenothiazine derivative. DEA CLASS. RX. INDICATIONS. Control of severe NV. Treatment of schizophrenia The brand name Compazine is discontinued in the U.S. Generic versions may still be available. Common side effects of Compazine include dizziness, drowsiness, Compazine official prescribing information for healthcare professionals. Includes: indications, dosage, adverse reactions, pharmacology and more Compazine Suppository official prescribing information for healthcare professionals. Includes: indications, dosage, adverse reactions, pharmacology and more Compazine , dosing, interactions, and patient education at Epocrates Online, Brand Discontinued in US. select or search generic name for alternatives prochlorperazine after chemotherapy - compazine spansule discontinued - compazine maximum dose. Product name: Compazine 7192015018332 Learn about drug side effects and interactions for the drug Compazine (Prochlorperazine) 6222015018332 Prochlorperazine suppositories and tablets are used to control severe nausea and vomiting. Prochlorperazine tablets are also used to treat the symptoms of

## Recent Posts

cytotec india

brand calan sr meds from india

acquiring phoslo

buy lithobid no rx

erythromycin 20mg bestellen rezeptfrei